EECE.2160: ECE Application Programming

Fall 2017

Lecture 28: Key Questions November 17, 2017

For today's exercise, you will complete the following functions that work with the structures Name and StudentInfo. The structure definitions are listed below:

```
typedef struct {
    char first[50];
    char middle;
    char last[50];
} Name;

typedef struct {
    Name sname;
    unsigned int ID;
    double GPA;
} SINew;
```

The function descriptions are as follows:

For the Name structure:

- **void printName(Name *n)**: Print the name pointed to by n, using format <first> <middle>. <last>
- void readName (Name *n): Prompt for and read a first, middle, and last name, and store them in the structure pointed to by n

For the StudentInfo structure:

- void printStudent(SINew *s): Print information about the student pointed to by s
- **void readStudent(SINew *s):** Prompt for and read information into the student pointed to by s
- void printList(SINew list[], int n): Print the contents of an array list that contains n StudentInfo structures
- int findByLName (SINew list[], int n, char lname[]): Search for the student with last name lname in the array list. Return the index of the structure containing that last name, or -1 if not found
- int findByID(SINew list[], int n, unsigned int sID): Search for the student with ID # sID in the array list. Return the index of the structure containing that last name, or -1 if not found

From Name.c:

}

```
// Print contents of Name struct
void printName(Name *n) {
}
// Read information into existing Name
void readName(Name *n) {
}
From SINew.c:
// Print information about student
void printStudent(SINew *s) {
}
// Reads student information into existing structure
void readStudent(SINew *s) {
```

EECE.2160: ECE Application Programming Fall 2017

M. Geiger Lecture 27: Key Questions

From SINew.c (continued):

```
// Print list of students
void printList(SINew list[], int n) {

}

// Find student in list, based on last name
// Returns index if student found, -1 otherwise
int findByLName(SINew list[], int n, char lname[]) {
```

}

EECE.2160: ECE Application Programming Fall 2017

M. Geiger Lecture 27: Key Questions

From SINew.c (continued):

```
// Find student in list, based on ID #
// Returns index if student found, -1 otherwise
int findByID(SINew list[], int n, unsigned int sID) {
```

}