

EECE.2160: ECE Application Programming

Spring 2016

Lecture 16: Key Questions

March 2, 2016

1. Explain what a pointer is, and how we can use them in C.

2. Explain the use of passing function arguments by address.

3. What does the following program print?

```
#include <stdio.h>
#include <math.h>
void get_r_theta(double a, double b,
                 double *adr_r, double *adr_th);

void main()
{
    double x,y,h,r,th;
    printf("Enter x, y components of vector: ");
    scanf("%lf %lf",&x,&y);
    get_r_theta(x,y,&r,&th);
    printf("Vector with x=%lf and y=%lf
          has r=%lf, theta=%lf\n",x,y,r,th);
}

void get_r_theta(double a, double b,
                 double *adr_r, double *adr_th) {
    double sum;
    sum = pow(a,2)+pow(b,2); //or a*a+b*b;
    *adr_r = sqrt(sum);
    *adr_th = atan2(y,x);
}
```

4. Example: What does the following print?

```
int f(int *a, int *b);  
  
int main() {  
    int x = 1;  
    int y = 2;  
    int result1, result2, result3;  
    result1 = f(&x, &y);  
    result2 = f(&y, &result1);  
    result3 = f(&result1, &result2);  
    printf("x = %d, y = %d\n", x, y);  
    printf("Result 1: %d\n", result1);  
    printf("Result 2: %d\n", result2);  
    printf("Result 3: %d\n", result3);  
    return 0;  
}  
  
int f(int *a, int *b)  
{  
    int copyB = *b;  
    while (*a > 1) {  
        *b += copyB;  
        (*a)--;  
    }  
    return *b;  
}
```

5. Write a function that:

- Given two integer arguments, x and y , store the quotient and remainder of x / y into locations specified by arguments q and r , respectively.
- Uses pointers to swap the values of two double-precision variables