EECE.3170: Microprocessor Systems Design ISummer 2016

Lecture 3: Key Questions May 19, 2016

1.	Describe the x86 flags.
2.	Describe the operation of the ADD, ADC, and INC instructions.
3.	Describe the operation of the SUB, SBB, DEC, and NEG instructions.

EECE.3170: Microprocessor Systems Design I Summer 2016 M. Geiger Lecture 3: Key Questions

- 4. Given the following initial state:
 - AX = 1234h
 - BL = ABh
 - Memory location SUM = 00CDh

Show the results of each step of the following instruction sequence. Be sure to track the carry flag throughout the sequence:

ADD AX, [SUM] ADC BL, 05h NEG BL SUB AX, 12h INC WORD PTR [SUM] 5. Describe the operation of the MUL and IMUL operations.

6. Describe the operation of the DIV and IDIV operations.

f. IDIV BH

Economic 2010	
7.	Example: Given EAX = 00000005h and EBX = 0000FF02h, what are the results of th following instructions? Assume each instruction starts with the values shown above in EAX and EBX.
a.	MUL BL
b.	MUL BH
c.	IMUL BH
d.	DIV BL
e.	DIV BH

EECE.3170: Microprocessor Systems Design I Summer 2016

M. Geiger Lecture 3: Key Questions