EECE.3170: Microprocessor Systems Design ISummer 2017

Lecture 3: Key Questions May 18, 2017

1.	Describe the x86 flags.
2	Describe the operation of the ADD, ADC, and INC instructions.
۷.	Describe the operation of the ABB, ABC, and two instructions.
2	Describe the operation of the SUB, SBB, DEC, and NEG instructions.

EECE.3170: Microprocessor Systems Design I Summer 2017

M. Geiger Lecture 3: Key Questions

- 4. Given the following initial state:
 - AX = 0x1234
 - BL = 0xAB
 - Memory location SUM = 0x00CD

Show the results of each step of the following instruction sequence. Be sure to track the carry flag throughout the sequence:

ADD AX, [SUM] ADC BL, 0x05 NEG BL SUB AX, 0x12 INC WORD PTR [SUM] 5. Describe the operation of the MUL and IMUL operations.

6. Describe the operation of the DIV and IDIV operations.

- 7. **Example:** Given EAX = 0x00000005 and EBX = 0x0000FF02, what are the results of the following instructions? Assume each instruction starts with the values shown above in EAX and EBX.
- a. MUL BL
- b. MUL BH
- c. IMUL BH
- d. DIV BL
- e. DIV BH

f. IDIV BH